

**NMDI Dixon 115th CBC
RareBirdReports**

- 1. Lincoln's Sparrow**
- 2. Red-breasted Nuthatch**
- 3. Winter Wren**
- 4. Calculation showing which species needed reports, exceeding the Shipman/Rustay ~10% guidelines. All real species other than the three listed above have been reported on >20% of the previous 17 counts.**

Questions:

**Robert Templeton
PO Box 357
Dixon, NM 87527
505-579-4095
rtbirds@gmail.com**



Audubon Science
2300 Computer Avenue #1-49
Willow Grove, PA 19090
cbcadmin@audubon.org
www.christmasbirdcount.org

CBC RARE BIRD DOCUMENTATION FORM

Submitted as documentation of (check all that apply):

Unusual Species Unusual Date Unusual Habitat

1. MOST IMPORTANT: On back of form give complete details of this observation. Use additional sheets as needed. Include information on the bird's plumage, shape, size, vocalizations, habitat, behavior, etc. Describe exactly what you saw; include photocopies of your original notes and sketches. Name the species that you considered ID contenders; explain how you eliminated them.

2. Count Name: Dixon Count Code: NMDI

3. Species Lincoln's Sparrow Age ad Sex # 3

4. Date (s) of Observation 12/14/2014 Time 09:25 to 09:35
Earlier/Later dates by others, if known _____

5. Place Approx 1.5 miles downstream from Rigsby Bridge near Rio Grande
Nearest Town Rinconada County Rio Arriba

6. Observer Chris Chappell
Address 2300 W. Alameda St., Apt D6, Santa Fe, NM 87507
Telephone/E-mail 505-490-8719/ chris.chappell4@gmail.com

7. Observation Details:
Other Observers Dave Yeamans, Marilyn Yeamans
Optics Used Nikon Venturer 8X42
Distance From Bird approx 15-25 meters Viewing Conditions Good

Weather, sky cover Overcast, approx 10 mph wind
Photo Taken? no Video? no Sound Recording? no Specimen? no

Are these available to the CBC Regional Editor? _____ Where are they? _____

8. Past Experience: With this or similar species? Have seen hundreds if not thousands of them over 42 yrs
References or Advice Consulted: _____

9. Was this report done from notes made during or after observation or from memory? Notes during plus
memory

Signature Chris Chappell Date 12/15/14
Observers please give this form to your compiler. Compilers please send all rare bird forms directly to your regional editor. Contact information for regional editors can be found at: <http://birds.audubon.org/programs/cbc/cbc-regional-editors> or in the latest CBC issue of *American Birds* on-line under Regional Summaries, sign up at: <http://www.audubon.org/citizenscience>. UPLOAD your CBC PHOTOS to the website at: <http://www.audubon.org/mediaset/cbc-photo-contest> and then email them directly to your regional editor along with this form.

Details

Habitat: Fallow weedy field on riverine floodplain terrace bounded by line of trees and human residence on one side, riparian tall shrubs next to Rio Grande on other side

Associated species: generally in a loose flock of approximately 15 Song Sparrows

Behavior: First bird popped up from grassy ground vegetation after Song Sparrows had done the same in response to pishing by observer, and perched part way up dried sunflower stalks (which were numerous in area where sparrow flock was concentrated). Bird went back down into grass and then back up again a couple times, with varied views. Then, suddenly flew low away from observers to an adjacent field and out of view (after about 5 minutes observation). Very shortly after first bird left observers vicinity, a second bird popped up and then seconds later a third, again perching mostly in sunflower stalks or on other weeds. Both birds moved occasionally over next 5 minutes from perch to perch, including on small rolls of fencing lying in the field, remaining in good viewing distance the whole time. Song Sparrows close by in vicinity with similar behavior, except with frequent vocalization. Did not hear Lincoln's Sparrows call. Flight and habits similar to Song Sparrows in vicinity.

Size: a small sparrow, slightly but noticeably smaller than Song Sparrow

Shape: slightly more slender than Song Sparrow. Bill somewhat narrowly conical, thus appearing more narrow and pointed than in Song Sparrow. Tail relatively long and narrow for a sparrow and seemingly rounded.

Plumage:

Buff breast band on upper breast just below lighter throat, buff sides and flanks. All buff areas of underparts are finely yet distinctly streaked with dark brown or blackish. Small dark spot at bottom center of buff breastband. Belly and lower breast is whitish and unmarked.

Gray face with distinct dark brown to blackish markings as follows: dark eyeline, dark malar stripe, 2 broad dark crown stripes with narrow lighter stripe from bill up over crown. Gray supercilium/eyebrow and largely grayish cheek. Grayish nape seen on one bird.

Upperparts below nape largely medium brown (with slight hint of olive) in overall color and heavily streaked dark on lighter background. Did not get a clear look at background color on upperparts. Tail appeared similar to back in general color, medium brown, without distinct markings of any kind.

Bill dark.

Similar Species considered:

Song Sparrow – SOSP is larger, with less slender bill. Does not have buffy breast and sides. Streaking on SOSP underparts is blurrier and wider and more widely distributed on underparts, and has larger central spot. SOSP upperparts a bit darker.

Swamp Sparrow similar size and shape, but does not have buffy breast band with fine dark streaking (unstreaked or blurry dull streaks). SWSP also has rufous wings, unlike dull brown wings of LISP.

Savannah Sparrow has shorter notched tail, different build, no buffy breast band, in general lighter brown without olive tones and without distinctly gray face

Notes: All observers were able to see critical field marks and differences for adjacent SOSPs.

9:00

HTSP-1, 1, 1 9:25 + 10 min
among 15 SOSP + 2 WSP

10 MPH overcast Snow on ground
Sunflower, few, "weeds"

Buffy Breast

Spot at bottom of buff and

Buff flanks

Bill narrower than SOSP

Gray face - Dark eye line
Dark malar stripe

Narrower streaks than SOSP,
2 dark (brn - blk) crown
sides finely streaked

Gray Nape

Lighter brn upper parts
than SOSP

EGG-5, 3, 2, 8

EGG-2, 4, 2, 1, 1, 1, 2

FLAT-3, 2, 4, 2, 3, 1

BUFF-1, 1

CERAT, 2

WIND-1, 1, 1

HOSP-2, 5

SSHA-1, 1

CABO Same as Lou. Lava

ANCON-1

GBHE-1

MOBL-4, 1

NOTE-1, 3, 1, 1, 2, 1

ARCTIC-1

YRWA-7 (Myrtle - white throat)

ROFT-5, 5

HEFH-1

MOCH-2

LAW-1, 1

CBC RARE BIRD DOCUMENTATION FORM

Submitted as documentation of (check all that apply):

Unusual Species Unusual Date Unusual Habitat

1. **MOST IMPORTANT:** On back of form give complete details of this observation. Use additional sheets as needed. Include information on the bird's plumage, shape, size, vocalizations, habitat, behavior, etc. Describe exactly what you saw: include photocopies of your original notes and sketches. Name the species that you considered ID contenders; explain how you eliminated them.

2. Count Name: Dixon Count Code: NMDI

3. Species Red-breasted Nuthatch Age Sex M # 1

4. Date (s) of Observation Dec. 14, 2014 Time 8:30 to 8:32 am
Earlier/Later dates by others, if known _____

5. Place Parking lot of Presbyterian Church, Dixon center,
Nearest Town DIXON County Rio Arriba

6. Observer Robert Templeton
Address Box 357 Dixon, NM 87527
Telephone/E-mail 505-579-4095 rtbirds@gmail.com

7. Observation Details:
Other Observers No one else in group observed this individual
Optics Used Swarovski 8x42
Distance From Bird 25-35 yards Viewing Conditions Overcast, flat light

Weather, sky cover Overcast
Photo Taken? No Video? No Sound Recording? No Specimen? No

Are these available to the CBC Regional Editor? _____ Where are they? _____

8. Past Experience: With this or similar species? Extensive, at higher elevations, 1-2 obs/yr in Dixon area.
9. References or Advice Consulted: Sibley's + National Geographic

10. Was this report done from notes made during or after observation or from memory? from memory

Signature Robert Templeton Date 12-20-2014

Observers please give this form to your compiler. Compilers please send all rare bird forms directly to your regional editor. Contact information for regional editors can be found at: <http://birds.audubon.org/programs/cbc/cbc-regional-editors> or in the latest CBC issue of American Birds on-line under Regional Summaries, sign up at: <http://www.audubon.org/mediaset/cbc-photo-contest> UPLOAD your CBC PHOTOS to the website at: <http://www.audubon.org/mediaset/cbc-photo-contest> and then email them directly to your regional editor along with this form.

Red-breasted Nuthatch; NMDI; Dixon, NM; Rio Arriba County; Male(?)=1

There were four of us watching a mixed flock of 7 or 8 species and shifting between 30 and 100 individuals over a period of about 20-25 minutes.

The light was very flat (completely overcast and sun still low). We were primarily looking west.

Included in the flock at various times were at least 3 White-breasted Nuthatch that were periodically vocalizing.

At one point, a nuthatch (clearly, by size, shape and flight) flew in from the north to a deciduous tree with many birds. Just as I got my binoculars on it, it flew south 50 feet to the middle of a 50-foot high evergreen. I did not resolve any head markings, but the breast appeared distinctly dark rufous. I waited for it to emerge, which it did in 20-30 seconds. It flew directly east to a small evergreen, perched for no more than 1 or 2 seconds and then flew SW about 50 yards and disappeared.

I got my binoculars on it on the departure from the small evergreen. Again, I failed to detect the head-face patterning, but again clearly saw that the breast and belly were dark-rufous.

I did not observe the bird vocalize, though I listened for another 5-10 minutes before we sorted out our observations and left the area.

No one else observed this particular individual.

Nearby sightings: On September 6, 2014, I observed by sound and sight two RBNU individuals at a location about 1 mile from this location.

Robert Templeton
PO Box 357
Dixon, NM 87527
505-579-4095
rtbirds@gmail.com

CBC RARE BIRD DOCUMENTATION FORM

Submitted as documentation of (check all that apply):

X Unusual Species Unusual Date Unusual Habitat

1. MOST IMPORTANT: On back of form give complete details of this observation. Use additional sheets as needed. Include information on the bird's plumage, shape, size, vocalizations, habitat, behavior, etc. Describe exactly what you saw; include photocopies of your original notes and sketches. Name the species that you considered ID contenders; explain how you eliminated them.

2. Count Name: Dixon CBC **Count Code:** _____

3. Species: Winter Wren **Age:** UNK **Sex:** UNK **Number:** 1

4. Date (s) of Observation: Dec. 14, 2014 **Time:** 11:35 am to 11:40 am
Earlier/Later dates by others, if known: None

5. Place: Rio Grande approximately 100 yards W. of the Rio Arriba/Taos county line
Nearest Town: Rinconada/Dixon County: Rio Arriba

6. Observer: Wyatt T. Egelhoff
Address: 5 Antigua Ct, Santa Fe NM
Telephone/E-mail: (505) 946-8028 redknot42@gmail.com

7. Observation Details:
Other Observers: Gene?
Optics Used: Nikon 8X42 Monarchs
Distance From Bird: between 200-50 yards (as I moved closer)
Viewing Conditions: Decent light, seeing that it was a wren, and hiding in dense willow brush, it was difficult to actually *see*.

Weather, sky cover: partly cloudy and breezy. At the time I heard the bird however, it was still and quiet.
Photo Taken: None Video: None Sound Recording: None Specimen: None

Are these available to the CBC Regional Editor: N/A Where are they: N/A

8. Past Experience: With this or similar species: I have a fair amount of experience with this species and a large amount of experience with Song Sparrow, and I have some limited experience with Pacific Wren. I have become confident in differentiating the doubled "timp" call note from the (typically single) "chimp" call of the Song Sparrow, and I am familiar with the "chep" note of the Pacific Wren. I am also aware of the habitat this species seems to prefer in New Mexico.

9. References or Advice Consulted: I talked to Robert Templeton about previous records for the species, and I am aware that this species is very rare in the county, though Robert did say he had one count week several years ago in an area close to where the current bird was found.

10. Was this report done from notes made during or after observation or from memory: Notes made during the time of observation.

Signature: Wyatt T. Egelhoff Date: Dec. 19, 2014

Observers please give this form to your compiler. Compilers please send all rare bird forms directly to your regional editor. Contact information for regional editors can be found at: <http://birds.audubon.org/programs/cbc/cbc-regional-editors> or in the latest CBC issue of *American Birds* on-line under Regional Summaries, sign up at: <http://www.audubon.org/citizenscience>. UPLOAD your CBC PHOTOS to the website at: <http://www.audubon.org/mediaset/cbc-photo-contest> and then email them directly to your regional editor along with this form.

Any questions e-mail us at: cbcadmin@audubon.org

Notes: The bird was first heard calling twice from about 200 yards away. Originally I wasn't quite sure if I had heard correctly, but after walking closer to the place where I thought I had heard the bird, I pished and the bird responded furiously with its distinctive, rapid-fire "timp" call. The call is always delivered doubled or tripled. Song Sparrows can also double their "chimp" call note, but rarely do they doubled it consistently for a period of several seconds (which this bird did). The overall quality of call is also slightly different between the two species. The Song Sparrow is characteristically hoarser throughout the note, and a little more of a rattle. The Winter Wren's call on the other hand is much more concise and quickly delivered, more akin to machine gun fire. I saw the bird very briefly, too quickly to discern anything but the overall shape and color. The bird appeared small and dark, which doesn't rule out Pacific Wren (though the vocalization does).

| CBC Dixon, NM (NMDI) | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|----------------------------------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------------|----|
| Compilation of 98th - 115th Counts | | | | | | | | | | | | | | | | | | | | | |
| (1997 - 2014) | | | | | | | | | | | | | | | | | | | | | |
| Taxonomic Order | | | | | | | | | | | | | | | | | | | | | |
| Species | Genus specific epithet | 98th | 99th | 100th | 101st | 102nd | 103rd | 104th | 105th | 106th | 107th | 108th | 109th | 110th | 111th | 112th | 113th | 114th | 115th | Years Observed | |
| Chen sp. (Snow or Ross's Goose) | | | | | | | | | | | | | | | | | | | 1 | | |
| Canada Goose | <i>Branta canadensis</i> | | | | | | | | 3 | 3 | 1 | 11 | 27 | 122 | 10 | 12 | 51 | 51 | 124 | 81 | 12 |
| Wood Duck | <i>Aix sponsa</i> | | | | | | | | 5 | 10 | 32 | 20 | 6 | 2 | 6 | 14 | 32 | 11 | 23 | 11 | |
| Gadwall | <i>Anas strepera</i> | | | | | | | | | 1 | | | | | | 10 | | | 3 | | |
| American Wigeon | <i>Anas americana</i> | | | | | | | | 3 | | 2 | | 6 | 2 | | 5 | 6 | 1 | | 7 | |
| Mallard | <i>Anas platyrhynchos</i> | 27 | 89 | 73 | 64 | 61 | 101 | 163 | 99 | 187 | 82 | 126 | 106 | 66 | 57 | 75 | 147 | 103 | 111 | 18 | |
| Northern Pintail | <i>Anas acuta</i> | | | | | | | | | | | 1 | | | | | 1 | | | 2 | |
| Green-winged Teal | <i>Anas crecca</i> | 1 | | | | | | | 5 | 9 | 19 | 3 | 1 | | | 4 | | | | 8 | |
| Ring-necked Duck | <i>Aythya collaris</i> | | | | | | | | | | | | | | | | | 4 | | 1 | |
| Lesser Scaup | <i>Aythya affinis</i> | | | | | | | | | | | | | | | | | | | | |
| Bufflehead | <i>Bucephala albeola</i> | | | | | | | | | | | | | | | 1 | 1 | 10 | 20 | 3 | |
| Common Goldeneye | <i>Bucephala clangula</i> | 214 | 249 | 102 | 128 | 78 | 155 | 48 | 53 | 240 | 70 | 147 | 34 | 222 | 52 | 239 | 125 | 239 | 121 | 18 | |
| Barrow's Goldeneye | <i>Bucephala islandica</i> | 7 | | | | | | | | | | | | | | | | | | 1 | |
| Hooded Merganser | <i>Lophodytes cucullatus</i> | 2 | 1 | | | | | | | 2 | 3 | | 1 | 1 | 4 | | 4 | | | 8 | |
| Common Merganser | <i>Mergus merganser</i> | 37 | 17 | 21 | 47 | 26 | 63 | 35 | 71 | 80 | 30 | 38 | 29 | 59 | 2 | 48 | 43 | 62 | 10 | 18 | |
| Unidentified Duck | <i>Anatinae (gen. sp.)</i> | 2 | 5 | | | | | 50 | | 4 | | | | | 12 | 3 | | | 6 | | |
| domestic duck sp. X Mallard | | | | | | | | | | | | | | | | | | | 1 | | |
| Scaled Quail | <i>Callipepla squamata</i> | | | | | | | | | | | | | | | 6 | | | | 1 | |
| Ring-necked Pheasant | <i>Phasianus colchicus</i> | | | | | | | | 3 | 2 | 1 | | | | | | 3 | | | 4 | |
| Wild Turkey | <i>Meleagris gallopavo</i> | | | | | | | | | | | | | | | | | | | 4 | |
| Pied-billed Grebe | <i>Podilymbus podiceps</i> | 1 | 2 | | | | | | | 1 | 1 | | | | | | 1 | | 5 | | |
| Eared Grebe | <i>Podiceps nigricollis</i> | 2 | | | | | | | | | | | | | | | | | 1 | | |
| Great Blue Heron | <i>Ardea herodias</i> | 6 | 3 | 1 | 6 | 2 | 8 | 4 | 7 | 13 | 4 | 5 | 5 | 8 | 3 | 2 | 4 | 5 | 3 | 18 | |
| Osprey | <i>Pandion haliaetus</i> | | | | | | | | | | | | | | | | | | | 1 | |
| Bald Eagle | <i>Haliaeetus leucocephalus</i> | 2 | 3 | 9 | 1 | 2 | 4 | 4 | 12 | 12 | 7 | 8 | 3 | 12 | 5 | 6 | 7 | 9 | 4 | 18 | |
| Northern Harrier | <i>Circus cyaneus</i> | 1 | 1 | 2 | 5 | 2 | | | | | | | 13 | 1 | 1 | 1 | | 1 | 10 | 55.56 | |
| Sharp-shinned Hawk | <i>Accipiter striatus</i> | 2 | 1 | | 1 | 3 | | 4 | 2 | 2 | 1 | 5 | | 2 | | 1 | 4 | | 13 | | |
| Cooper's Hawk | <i>Accipiter cooperii</i> | | | | | | | 1 | 1 | 1 | 1 | 5 | 3 | 3 | 1 | 1 | 2 | 6 | 3 | | |
| Red-tailed Hawk | <i>Buteo jamaicensis</i> | | | | | | | | | | | 2 | | | | 1 | 1 | 1 | 4 | | |
| Rough-legged Hawk | <i>Buteo lagopus</i> | | | | | | | | | | | 1 | | | | | | | 2 | | |
| Golden Eagle | <i>Aquila chrysaetos</i> | | 2 | | | | | | | | | | | | | | | | 5 | | |
| Unidentified Hawk | <i>Accipitridae (gen. sp.)</i> | | | | | | | | 2 | | | | | | | | | | 1 | | |
| American Coot | <i>Fulica americana</i> | 3 | 1 | | | | | | | | | 2 | | | | 1 | 2 | 1 | 7 | | |
| Sandhill Crane | <i>Grus canadensis</i> | | | | | | | | | | | | | | | 6 | 10 | 10 | 5 | | |
| Kildeer | <i>Charadrius vociferus</i> | | | | | | | | | | | | | | | 4 | | | 1 | | |
| Spotted Sandpiper | <i>Actitis macularius</i> | | | | | | | 1 | 1 | | | | | | | | | | 3 | | |
| Wilson's Snipe | <i>Gallinago delicata</i> | 2 | 1 | 1 | 1 | 2 | 1 | | | 1 | | | | | | | | | 7 | | |
| Rock Pigeon | <i>Columba livia</i> | 80 | 130 | 301 | 116 | 125 | 161 | 334 | 279 | 527 | 293 | 254 | 192 | 146 | 143 | 118 | 216 | 109 | 151 | 18 | |
| Eurasian Collared-Dove | <i>Streptopelia decaocto</i> | | | | | | | | | | 4 | | 19 | 44 | 56 | 85 | 70 | 28 | | 38.89 | |
| White-winged Dove | <i>Zenaidura asiatica</i> | | | | | | | | | | | | 3 | 1 | 1 | 5 | 14 | | 5 | | |
| Mourning Dove | <i>Zenaidura macroura</i> | 1 | | | | | | | 3 | 2 | 2 | 1 | 4 | 1 | 2 | 1 | | | 11 | | |
| Greater Roadrunner | <i>Geococcyx californianus</i> | | 1 | | | | | | | | 1 | | | | | | | | 3 | | |
| Western Screech-Owl | <i>Megascops kennicottii</i> | | | | | | | | | | | | | | | | | | | | |
| Great Horned Owl | <i>Bubo virginianus</i> | 1 | | | | | | | | | | | | | | | | | 6 | | |
| Belted Kingfisher | <i>Megaceryle alcyon</i> | 2 | 3 | 10 | 7 | 7 | 8 | 8 | 8 | 7 | 2 | 1 | 5 | 6 | 2 | 7 | 5 | 2 | 16 | | |
| Lewis's Woodpecker | <i>Melanerpes lewis</i> | 50 | 35 | 33 | 38 | 104 | 10 | 67 | 28 | 24 | 10 | 60 | 4 | 21 | 2 | 35 | | | 15 | | |
| Williamson's Sapsucker | <i>Sphyrapicus thyroideus</i> | | | | | | | | | 2 | 1 | 3 | | | | | | | 4 | | |
| Red-naped Sapsucker | <i>Sphyrapicus nuchalis</i> | | | | | | | 1 | | | | | | | | | | | 4 | | |
| Unidentified Sapsucker | <i>Sphyrapicus (sp.)</i> | 1 | | | | | | | | | | | | | | | | | 1 | | |
| Ladder-backed Woodpecker | <i>Picoides scalaris</i> | | | | | | | 2 | 4 | 3 | 1 | 5 | | | 2 | 1 | 3 | 5 | 2 | | |
| Downy Woodpecker | <i>Picoides pubescens</i> | 3 | 4 | 1 | 5 | 5 | 3 | 2 | 14 | 8 | 9 | 19 | 3 | 10 | 4 | 3 | 9 | 9 | 4 | | |
| Hairy Woodpecker | <i>Picoides villosus</i> | 2 | 4 | 5 | 3 | 3 | 2 | 6 | | 7 | 1 | 9 | 4 | 2 | 2 | 4 | 2 | 1 | 16 | | |
| Northern Flicker | <i>Colaptes auratus</i> | 29 | 29 | 77 | 25 | 54 | 27 | 100 | 79 | 113 | 99 | 106 | 70 | 92 | 59 | 41 | 64 | 28 | 43 | | |
| Unidentified Woodpecker | <i>Picidae (gen. sp.)</i> | 1 | | | | | | | | | | | | | | | | | 2 | | |
| American Kestrel | <i>Falco sparverius</i> | 2 | 6 | 3 | 3 | 2 | 7 | 1 | 2 | 3 | 1 | | 1 | 1 | 3 | 1 | | | 13 | | |
| Merlin | <i>Falco columbarius</i> | | 2 | | | | | 1 | 1 | 2 | 2 | 3 | 1 | | | 1 | | | 7 | | |
| Peregrine Falcon | <i>Falco peregrinus</i> | | | 1 | | | | | | | | | | | | | | | 1 | | |
| Prairie Falcon | <i>Falco mexicanus</i> | | | | | | | | | | | | | | | | | | 1 | | |
| Unidentified Falcon | <i>Falcon (sp.)</i> | | | | | | | | | | | | | | | | | | 3 | | |
| Unidentified Empidonax Flycatcher | <i>Empidonax (sp.)</i> | | | | | | | | | | | | | | | | | | 1 | | |
| Black Phoebe | <i>Sayornis nigricans</i> | 3 | 1 | | | | | | 1 | 1 | 3 | 1 | | | 2 | 1 | 1 | 1 | 10 | | |
| Say's Phoebe | <i>Sayornis saya</i> | | | | | | | | 2 | 1 | 1 | 1 | | | 1 | | | | 5 | | |
| Loggerhead Shrike | <i>Lanius ludovicianus</i> | 7 | | 1 | | | | | | | | | | | | | | | 3 | | |
| Northern Shrike | <i>Lanius excubitor</i> | 1 | 1 | | | | | | | | | | | | | | | | 3 | | |
| Pinyon Jay | <i>Gymnorhinus cyanocephalus</i> | 198 | 271 | 63 | 306 | 35 | 93 | 57 | 255 | 243 | 67 | 140 | 93 | 152 | cw | 79 | | 70 | 15 | | |
| Steller's Jay | <i>Cyanocitta stelleri</i> | | | | | 1 | 3 | 40 | | | | 4 | | | | | 3 | | 6 | | |
| Western Scrub-Jay | <i>Aphelocoma californica</i> | 54 | 18 | 28 | 33 | 53 | 80 | 51 | 66 | 44 | 41 | 59 | 13 | 41 | 48 | 24 | 38 | 60 | 16 | | |
| Clark's Nutcracker | <i>Nucifraga columbiana</i> | | | | | | | | | | | | | | | | | | 18 | | |
| Black-billed Magpie | <i>Pica hudsonia</i> | 175 | 106 | 125 | 73 | 128 | 133 | 117 | 116 | 158 | 132 | 90 | 62 | 92 | 139 | 44 | 117 | 117 | 49 | | |
| American Crow | <i>Corvus brachyrhynchos</i> | 106 | 58 | 70 | 168 | 343 | 428 | 662 | 309 | 55 | 201 | 426 | 125 | 214 | 157 | 88 | 112 | 137 | 180 | | |
| Common Raven | <i>Corvus corax</i> | 39 | 46 | 32 | 104 | 46 | 72 | 23 | 74 | 86 | 70 | 82 | 23 | 45 | 60 | 36 | 65 | 57 | 64 | | |
| Horned Lark | <i>Eremophila alpestris</i> | | | | | | | | | | | | | | | 65 | | | 2 | | |
| Violet-green Swallow | <i>Tachycineta thalassina</i> | | | | | | | | | | | | | | | | | | 1 | | |
| Black-capped Chickadee | <i>Poecile atricapillus</i> | 2 | 2 | 22 | 34 | 33 | 44 | 34 | 60 | 65 | 46 | 48 | 6 | 28 | 27 | 23 | 53 | 37 | 24 | | |
| Mountain Chickadee | <i>Poecile gambeli</i> | | | | | cw | 28 | 3 | 6 | 33 | 13 | 5 | 68 | | 26 | 5 | 1 | 21 | 31 | | |
| Unidentified Poecile Chickadee | <i>Poecile (sp.)</i> | | | | | | | | | | | | | | | 2 | 1 | | 2 | | |
| Juniper Titmouse | <i>Baeolophus ridgwayi</i> | | 16 | 14 | 11 | 14 | 4 | 20 | 26 | 15 | 3 | 3 | 3 | 3 | 22 | 1 | 7 | 4 | 2 | | |
| Bush Tit | <i>Psaltriparus minimus</i> | 154 | 42 | 61 | 64 | 12 | 42 | 168 | 142 | 124 | 74 | 72 | 2 | 6 | 35 | 14 | 17 | | 16 | | |
| Red-breasted Nuthatch | <i>Sitta canadensis</i> | | | | | | | | | | | | | | | | 1 | 1 | 5.56 | | |
| White-breasted Nuthatch | <i>Sitta carolinensis</i> | 1 | 1 | 1 | 17 | 9 | 11 | 12 | 24 | 24 | 24 | 20 | 13 | 11 | 19 | 9 | 15 | 23 | 22 | | |
| Pygmy Nuthatch | <i>Sitta pygmaea</i> | | | | | | | | | | | | | | | | | | 3 | | |
| Brown Creeper | <i>Certhia americana</i> | | | | | | | | | | | | | | | | | | 27.78 | | |
| Rock Wren | <i>Salpinctes obsoletus</i> | 2 | 1 | | | 1 | 2 | 5 | 4 | 1 | | | | 1 | 1 | 1 | 1 | 1 | 10 | | |
| Canyon Wren | <i>Catherpes mexicanus</i> | | 1 | 1 | 1 | 2 | 4 | 2 | 3 | 2 | 1 | 1 | 3 | 1 | 1 | 4 | | | | | |

| | | | | | | | | | | | | | | | | | | | |
|--|-----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Swamp Sparrow | <i>Melospiza georgiana</i> | 1 | 1 | | | | 1 | 1 | | 2 | | | | 1 | 2 | 2 | 5 | 27.78 | |
| White-throated Sparrow | <i>Zonotrichia albicollis</i> | | | | | | 1 | | | | | | | | | | 1 | | |
| Harris's Sparrow | <i>Zonotrichia querula</i> | | | | | | | | | | | | | | | | | | |
| White-crowned Sparrow | <i>Zonotrichia leucophrys</i> | 216 | 93 | 216 | 66 | 160 | 273 | 286 | 130 | 369 | 175 | 208 | 156 | 194 | 121 | 133 | 259 | 133 | 181 |
| Dark-eyed Junco | <i>Junco hyemalis</i> | 724 | 901 | 505 | 472 | 447 | 455 | 535 | 461 | 593 | 649 | 1106 | 849 | 397 | 274 | 216 | 580 | 383 | 456 |
| Unidentified Sparrow | <i>Emberizidae (gen. sp)</i> | 27 | 38 | 19 | 1 | 3 | 76 | 1 | | 3 | | 5 | | | | | 2 | | 10 |
| Summer Tanager | <i>Piranga rubra</i> | | | 1 | | | | | | | | | | | | | | 1 | |
| Red-winged Blackbird | <i>Agelaius phoeniceus</i> | | 55 | 2 | 1 | | 15 | 12 | 22 | 1 | 15 | cw | | | 2 | cw | | 2 | 10 |
| Western Meadowlark | <i>Sturnella neglecta</i> | | | | | | | | | | 2 | | | | | | | 1 | |
| Gray-crowned Rosy-Finch | <i>Leucosticte tephrocotis</i> | | | | | | | | | 70 | | | | | | | | 1 | |
| House Finch | <i>Haemorhous mexicanus</i> | 10 | 67 | 95 | 149 | 110 | 211 | 204 | 198 | 245 | 395 | 182 | 104 | 152 | 44 | 119 | 120 | 156 | 128 |
| Cassin's Finch | <i>Haemorhous cassinii</i> | 12 | 93 | | 8 | 2 | 16 | 6 | 11 | | 8 | 7 | | 2 | | 4 | 4 | 9 | 13 |
| Pine Siskin | <i>Spinus pinus</i> | | | 27 | 18 | 77 | cw | | 10 | 20 | 2 | 30 | 28 | 9 | 19 | cw | 1 | 7 | 32 |
| American Goldfinch | <i>Spinus tristis</i> | 26 | 18 | 6 | 14 | 14 | 18 | 5 | 3 | 7 | 15 | 22 | 13 | 20 | 6 | 1 | 215 | 11 | 17 |
| Evening Grosbeak | <i>Coccothraustes vespertinus</i> | | | 2 | 36 | | cw | | 2 | | | cw | | 16 | 19 | cw | 8 | 17 | 83 |
| House Sparrow | <i>Passer domesticus</i> | 70 | 92 | 78 | 73 | 35 | 51 | 70 | 92 | 52 | 44 | 75 | 91 | 58 | 29 | 108 | 56 | 38 | 46 |
| Total Individuals: | | 3,083 | 3,581 | 3,168 | 2,563 | 2,522 | 3,099 | 3,803 | 3,500 | 4,524 | 3,633 | 4,216 | 2,825 | 3,672 | 2,100 | 1,869 | 5,091 | 2,348 | 3,046 |
| Total Species: | | 45 | 51 | 58 | 55 | 51 | 51 | 59 | 72 | 63 | 66 | 67 | 50 | 65 | 56 | 54 | 67 | 61 | 58 |
| Mean Individuals Counted (98th-115th): 3,258 | | | | | | | | | | | | | | | | | | | |
| Mean Species Recorded (98th-115th): 58.3 | | | | | | | | | | | | | | | | | | | |
| Total Species Recorded (98th-115th): 116 | | | | | | | | | | | | | | | | | | | |